

IN THE CLAIMS

Please amend the following of the claims which are pending in the present application:

1. (Original) An apparatus for storing and dispensing of a plurality of items of stock comprising a plurality of storage regions and a dispensing station, wherein said storage regions are arranged to circulate around a continuous path such that each storage region is periodically brought into alignment with the dispensing station so as to allow items to be removed from the storage region at the dispensing station.
2. (Original) Apparatus as claimed in claim 1 wherein the storage regions are physically delimited.
3. (Currently amended) Apparatus as claimed in claim 1 [[or 2]] wherein the storage regions comprise at least one shelf.
4. (Original) Apparatus as claimed in claim 3 wherein said shelf or shelves is/are reconfigurable in width and/or height.

5. (Currently amended) Apparatus as claimed in ~~any preceding~~ claim 1 wherein the dispensing station comprises means for removing items from the storage regions.
6. (Currently amended) Apparatus as claimed in claim 5 wherein said means ~~comprises~~ for removing items is arranged to ~~operating~~ operate by a pushing action.
7. (Currently amended) Apparatus as claimed in claim 5 wherein said means ~~comprises~~ for removing items is arranged to ~~operating~~ operate by a pulling action.
8. (Original) Apparatus as claimed in claim 7 comprising a claw arranged to hook over and pull an item off the storage region.
9. (Original) Apparatus as claimed in claim 7 comprising a suction probe arranged to generate a reduced pressure between its end face and a side of the item to allow said item to be pulled off by retracting the probe.
10. (Currently amended) Apparatus as claimed in ~~any preceding~~ claim 1 wherein said dispensing means is adapted to be able to remove a plurality of items simultaneously from a single storage region.

11. (Currently amended) Apparatus as claimed in ~~any preceding~~ claim 1 wherein the dispensing station comprises a dispensing chute for receiving items which are removed from the storage region at the dispensing station.
12. (Currently amended) Apparatus as claimed in ~~any preceding~~ claim 1 adapted to circulate said storage regions only when required.
13. (Original) Apparatus as claimed in claim 12 adapted to halt said circulation when a desired storage region is aligned with a correct dispensing station or loading point.
14. (Currently amended) An automated stock storage and retrieval system comprising stock transfer means for transferring items of stock from an input area to a storage area and for subsequently retrieving said items of stock, the ~~apparatus~~ system further comprising an apparatus for storing and dispensing of a plurality of items of stock comprising a plurality of storage regions and a dispensing station, wherein said storage regions are arranged to circulate around a continuous path such that each storage region is periodically brought into alignment with the dispensing station so as to allow items to be removed from the storage region at the dispensing station; wherein the stock transfer means is arranged selectively to load items onto said circulating storage regions.

15. (Currently amended) ~~An apparatus or~~ A system as claimed in ~~any~~ preceding claim 14 wherein the circulating storage apparatus is configured to allow items to be placed manually in its storage regions.
16. (Currently amended) ~~An apparatus or~~ A system as claimed in ~~any~~ preceding claim 14 comprising more than one dispensing station.
17. (Original) A method of storing and dispensing a plurality of items of stock comprising placing said items of stock in a plurality of storage regions and circulating said storage regions around a continuous path such that each storage region is periodically brought into alignment with a dispensing station and removing items from the storage region at the dispensing station.
18. (Original) A method as claimed in claim 17 comprising pushing said items from said storage regions at the dispensing station.
19. (Original) A method as claimed in claim 17 comprising pulling said items from said storage regions at the dispensing station.
20. (Original) A method as claimed in claim 19 comprising generating a reduced pressure between an end face of a suction probe a side of an item and pulling said item off by retracting the probe.

21. (Currently amended) A method as claimed in ~~any of claims 17 to 20~~ claim 17 comprising removing a plurality of items simultaneously from a single storage region.

22. (Currently amended) A method as claimed in ~~any of claims 17 to 21~~ claim 17 circulating said storage regions only when required.

23. (Original) A method as claimed in claim 22 comprising circulating the storage regions until a desired storage region is aligned with a correct dispensing station or loading point.